


# CABIN CROSSING

Designed by Robert Kaufman Fabrics  
[www.robertkaufman.com](http://www.robertkaufman.com)

Featuring ARTISAN FABRICS Modern Twist by Linn



Finished quilt measures: 72" x 96"



Difficulty Rating: **Beginner**

**ROBERT KAUFMAN**  
F A B R I C S

For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).

## Fabric and Supplies Needed

*Fabric amounts based on yardage that is 42" wide.*

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMD-19760-69 MIDNIGHT	1/2 yard		E	AMD-19755-7 GREEN	1-1/4 yards
	B	AMD-19755-6 PURPLE	5/8 yard		F	AMD-19760-253 BOYSENBERRY	1-5/8 yards
	C	AMD-19759-192 SPRING	7/8 yard		G	AMD-19760-213 TEAL	1-7/8 yards
	D	AMD-19760-6 PURPLE	1-1/8 yards		Binding*	AMD-19760-69 MIDNIGHT <small>*Also used for Fabric A</small>	2/3 yard
<p>Copyright 2020, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 5-1/2 yards for backing</p>			

## Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

## Cutting Instructions

You may cut Fabrics B-E as specified, or cut the strips slightly longer and trim as you go. The width for all of the strips will remain 2". You will use slightly more yardage and strips if you choose to cut them longer.

### Fabric A

Cut four strips 3-1/2" x WOF, then subcut into forty-eight squares 3-1/2" x 3-1/2".

### Fabric B

Cut ten strips 2" x WOF.

-Subcut into forty-eight strips 2" x 3-1/2" and forty-eight strips 2" x 5".

### Fabric C

Cut fourteen strips 2" x WOF.

- Subcut into forty-eight strips 2" x 5" and forty-eight strips 2" x 6-1/2".

### Fabric D

Cut eighteen strips 2" x WOF.

- Subcut into forty-eight strips 2" x 6-1/2" and forty-eight strips 2" x 8".

### Fabric E

Cut twenty-two strips 2" x WOF.

- Subcut into forty-eight strips 2" x 8" and forty-eight strips 2" x 9-1/2".

### Fabric F

Cut twenty-eight strips 2" x WOF.

-Subcut into forty-eight strips 2" x 9-1/2" and forty-eight strips 2" x 11".

### Fabric G

Cut thirty-two strips 2" x WOF

- Subcut into forty-eight strips 2" x 11" and forty-eight strips 2" x 12-1/2".



### Binding

Cut nine 2-1/2" x WOF strips

## Assembly Instructions

### Step 1: Make Blocks


- Begin with a Fabric A square and sew a Fabric B 2" x 3-1/2" strip to the top edge. Press seams and trim any excess fabric, if necessary.
- Sew a Fabric B 3" x 5" strip to the left edge of the A/B unit. Press and trim.



- Next, sew a Fabric C 3" x 5" strip to the right of the A/B unit. Press and trim.




- Continue sewing strips around the block as shown, pressing and trimming strips as you go.



- Trim block to 12-1/2" x 12-1/2".
- Repeat to make forty-eight blocks.

**Step 2: Assemble Quilt**

- Follow the diagram to sew eight rows of six blocks each, and then sew the rows together to complete the quilt top.



Be sure your blocks are rotated into the proper orientation before sewing into rows.

Your quilt top is complete. Baste, quilt, bind and enjoy!