
LEMON STARS

Designed by Darlene Zimmerman www.feedsacklady.com

Featuring

KONA® 9 COLOR
OF THE
COTTON SOLIDS AY E A R



Finished quilt measures: 54-1/2" x 66-1/2"

Pattern Level: Experienced Intermediate
"I know the ropes and would like to test my skills!"



Fabric and Supplies Needed

Fabric amounts based on yardage that is 40" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
KONA © COLC Cotton solids NY P	A	K001-550 HIGHLIGHT *includes binding	4 yards		В	K001-1387 WHITE	1-1/2 yards
Copyright 2016, Robert Kaufman For individual use only - Not for resale				You will also need: 3-1/2 yards for backing Tri-Recs (EZ Quilting #8823753A) Companion Angle (EZ Quilting #882670139A)			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 40" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions for Star Blocks

From Fabric A, cut:

fourteen 3-1/2" x WOF strips. Subcut: one hundred 3-1/2" squares eighty Tri triangles

From Fabric B, cut:

five 3-1/2" x WOF strips. Subcut: eighty pairs of Recs triangles

Assembling the Star Blocks

Make 20 Star Blocks


Step 1 Sew a white Recs triangle to the right edge of a yellow Tri triangle, matching the magic angle to the bottom edge of the Tri triangle. Press toward the white triangle. Repeat to make eighty units.





Step 2 Sew the remaining Recs triangles to the left side of the Step 1 unit, matching the magic angle as before and also the points of the white triangles. Press toward the white triangle. Make eighty Tri-Recs units. At this point they should measure 3-1/2" square.

Step 3 Using five 3-1/2" yellow squares and four Tri-Recs units, sew twenty blocks as shown. Press toward the Fabric A squares. At this point the blocks should measure 9-1/2" square.



Cutting Instructions for Chain Blocks (full and half)

From Fabric A, cut:

eight 3-1/2" x WOF strips. Subcut:

eighty-two 3-1/2" squares

ten 2" x WOF strips. Set aside for the Four-patches.

five 2-3/4" x WOF strips. Subcut:

fifty-four Companion Angle triangles

seven 2-1/4" x WOF strips. Set aside for binding.

From Fabric B, cut:

three 3-1/2" x WOF strips. Subcut:

thirty 3-1/2" squares

ten 2" x WOF strips. Set aside for the Four-patches.


Assembling the Chain Blocks

Make 12 Chain Blocks

Step 1 Sew the 2" x WOF strips together along the longest sides to make ten strip sets. Press toward the yellow strips.




Step 2 Cut the strip sets into one hundred ninety-six units 2" wide.



Step 3 Sew the four-patches together into ninety-eight units. Press.




Step 4 Sew together four 3-1/2" Fabric A squares, one 3-1/2" Fabric B square, and four four-patch units to make a block. Press the seams toward the yellow squares. At this point the blocks should measure 9-1/2" square. Make twelve chain blocks.




Assembling the Side and Corner Triangles


Step 1 Sew the units together as shown. Make six units pointing left and eight units pointing right. Press as shown.




Step 2 For two corner triangles, sew together as shown.



Step 3 For the last two corner triangles, sew together as shown.




Step 4 Cut the remaining two 3-1/2" Fabric A squares once on the diagonal to create four triangles. Sew to the tip of the pieced corner triangles. Press.



Assembling the Quilt

Step 1 Arrange the blocks in diagonal rows, alternating the star blocks and the chain blocks. Add the pieced setting triangles along the outside edges. Refer to the quilt diagram.



- **Step 2** Sew the blocks together in rows, matching and pinning seam intersections, and pressing toward the setting triangles and the chain blocks.
- **Step 3** Sew the rows together, matching and pinning the seam intersections. Press the seams open. You may trim a tiny amount from the edges of the quilt to straighten, but be sure to leave a 1/4" seam allowance.

Finishing the Quilt

- **Step 1** Layer the backing wrong side up, the batting and the quilt top right side up. Baste, then quilt as desired.
- **Step 2** Before binding, hand-baste a scant 1/4" from the edge of the quilt to hold the layers together.
- **Step 3** Join the binding strips with diagonal seams pressed open. Fold the binding in half, wrong sides together and press to make a double binding.
- **Step 4** Sew the binding to the quilt with a 1/4" seam allowance, mitering the corners.
- **Step 5** Trim the excess batting and backing, turn the binding to the back side of the quilt and stitch down by hand with matching thread.