ROSY STARS

Designed by Elise Lea for RK www.robertkaufman.com Featuring ARTISAN Modern Twist



Finished quilt measures: 60" x 72"

Difficulty Rating: Intermediate

For questions about this pattern, please email Patterns@RobertKaufman.com.

В

R

C

S

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMD-19758-192 SPRING	5/8 yard		E	AMD-19755-213 TEAL	2/3 yard
	В	AMD-7000-187 PLATINUM	1-3/4 yard	1110	F	amd-19757-245 MIST	5/8 yard
	с	AMD-19760-213 TEAL	3/4 yard		G	AMD-19758-7 GREEN	3/8 yard
1111	D	AMD-19757-32 MINT	5/8 yard		Binding	AMD-19756-213 TEAL	5/8 yard
Copyright 2020, Robert Kaufman For individual use only - Not for resale				You will also need: 4 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

From each of Fabrics A and F, cut:

three 6-1/2" x WOF strips. Subcut: fifteen 6-1/2" squares for the block centers

From Fabric B, cut:

three 7-1/4" x WOF strips. Subcut: fifteen 7-1/4" squares for the Block 1 flying geese three 4" x WOF strips. Subcut: thirty 4" squares for the Block 2 HSTs six 3-7/8" x WOF strips. Subcut: sixty 3-7/8" squares for the Block 2 flying geese

From Fabric C, cut:

six 3-7/8" x WOF strips. Subcut: sixty 3-7/8" squares for the Block 1 flying geese

From Fabric D, cut:

five 3-1/2" x WOF strips. Subcut: sixty 3-1/2" squares for Block 1

From Fabric E, cut:

three 7-1/4" x WOF strips. Subcut: fifteen 7-1/4" squares for the Block 2 flying geese

From Fabric G, cut:

three 4" x WOF strips. Subcut: thirty 4" squares for the Block 2 HSTs

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)

Step 1: Pair a 4" Fabric B square with a 4" Fabric G square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 3-1/2" square. Repeat to make sixty B/G HSTs.



Assemble the Flying Geese

Step 2: Pin two 3-7/8" Fabric C squares in opposing corners of a 7-1/4" Fabric B square, RST. The squares will overlap slightly in the center of the large square. Using a ruler, draw a diagonal line through the squares.

Step 3: Sew scant 1/4" seam on each side of the diagonal line. Set the seam by pressing it flat. Cut along the diagonal line, creating two identical units.

Step 4: Press the fabric toward smaller triangles. Repeat with the second unit.

Step 5: Place one 3-7/8" Fabric C square at the corner of sewn block unit. Draw diagonal line in pencil. Sew a scant 1/4" seam on each side of diagonal line. Set seam (press). Cut along diagonal line, creating two identical units.

Step 6: Press the seam toward smaller triangle. Trim off small dog ears left by the seam allowance. Trim to 3-1/2" x 6-1/2" if necessary. Repeat to make four flying geese blocks.

Step 7: Repeat with all remaining 3-7/8" Fabric C squares and 7-1/4" Fabric B squares to make a total of sixty B/C flying geese blocks.

Step 8: Repeat Steps 2-7 with the 3-7/8" Fabric B squares and 7-1/4" Fabric E squares to make a total of sixty E/B flying geese blocks.











Assemble Block 1

Step 9: Gather: one Fabric A square four B/C flying geese four Fabric D squares

Arrange the units into three rows of three. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 10: Sew the units together to form rows. Press the seams away from the flying geese.

Step 11: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.

Repeat to make fifteen 12-1/2" Block 1 units.



Assemble Block 2

Step 12: Gather: one Fabric F square four E/B flying geese four B/G HSTs

Arrange the units into three rows of three. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 13: Sew the units together to form rows. Press the seams away from the flying geese.

Step 14: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.

Repeat to make fifteen 12-1/2" Block 2 units.



Assemble the Quilt



Step 15: Arrange the blocks into six rows of five blocks. Note the block placement and orientation in the Quilt Assembly Diagram.

Step 16: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 17: Sew the rows together to form the quilt center. Press the row seams open.

Your quilt top is complete. Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2020. All rights reserved.