
GARDEN PATH

Featuring

Designed by Robert Kaufman Fabrics www.robertkaufman.com TOTALLY TROPICAL



Finished quilt measures: 71" x 88"

Difficulty Rating: Intermediate

For questions about this pattern, please email Patterns@RobertKaufman.com.

В

R

C


S

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	А	AMD-7000-9 NAVY	4-1/4 yards		J	AMD-17804-197 TROPICAL	1/3 yard
	В	AMD-19465-263 RAINBOW	1/4 yard		K	AMD-17802-263 RAINBOW	1/3 yard
	с	amd-17801-211 ISland Green	1/3 yard		L	AMD-17800-130 SUNSHINE	1/4 yard
	D	AMD-19467-193 SUMMER	1/2 yard		Μ	AMD-11689-76 REGATTA	1/3 yard
	Е	AMD-15499-205 MULTI	1/4 yard		Ν	AMD-19470-299 RIVIERA	1/4 yard
	F	AMD-19467-245 MIST	1/2 yard		0	amd-19466-211 Island green	1/4 yard
	G	AMD-19468-299 RIVIERA	1/3 yard		Ρ	AMD-19468-193 SUMMER	1/3 yard
	н	AMD-19469-59 OCEAN	1/3 yard		Q	AMD-19469-299 RIVIERA	1/4 yard
	I	AMD-14928-197 TROPICAL	1/4 yard		R	AMD-19468-130 SUNSHINE	1/3 yard
			I				

Fabric amounts based on yardage that is 42" wide.



Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

Fabric A

- Cut eleven strips 5-3/4" x WOF, then subcut each strip into eighteen rectangles 2-1/4" x 5-3/4".
- Cut ten strips 2-1/4" x WOF, then subcut each strip into eighteen squares 2-1/4" x 2-1/4".
- Cut Twenty-four strips 2-3/4" x WOF", then subcut each strip into fifteen squares 2-3/4" x 2-3/4".

Fabric B, I, L, N, O, Q, S and T

- Cut one strip 4" x WOF, then subcut into nine squares 4" x 4".
 From remaining fabric, cut two squares 2-3/4" x 2-3/4".
- Cut one strip 2-3/4" x WOF, then subcut a total of sixteen squares 2-3/4" x 2-3/4".

Fabric E

- Cut one strip 4" x WOF, then subcut into eight squares 4" x 4".
- Cut one strip 2-3/4" x WOF, then subcut a total of sixteen squares 2-3/4" x 2-3/4".

Fabric C, J, M and P

- Cut one strip 4" x WOF, then subcut into eight squares 4" x 4".
- Cut one strip 2-3/4" x WOF, then subcut a total of sixteen squares 2-3/4" x 2-3/4".
- Cut five squares 2-1/4" x 2-1/4".

Fabric G, H, K, R

- Cut one strip 4" x WOF, then subcut into eight squares 4" x 4".
- Cut one strip 2-3/4" x WOF, then subcut a total of sixteen squares 2-3/4" x 2-3/4".
- Cut four squares 2-1/4" x 2-1/4".

Fabric D

- Cut two strips 4" x WOF, then subcut into a total of seventeen squares 4" x 4".
- Cut three strips 2-3/4" x WOF, then subcut a total of thirty-four squares 2-3/4" x 2-3/4".
 - From remaining fabric cut four squares 2-1/4" x 2-1/4".

Fabric F

- Cut two strips 4" x WOF, then subcut into a total of seventeen squares 4" x 4".
- Cut three strips 2-3/4" x WOF, then subcut a total of thirty-four squares 2-3/4" x 2-3/4".
 - From remaining fabric cut four squares 2-1/4" x 2-1/4".

Binding Fabric

• Cut nine 2-1/2" x WOF strips.

Assembly Instructions

Step One: Make Half Square Triangles (HSTs)

- Place a Fabric A 2-3/4" x 2-3/4" square right sides together with a Fabric B 2-3/4" x 2-3/4" square.
- Draw a diagonal line from corner to corner and then sew a scant 1/4" from each side of the line (fig. 1).
- Cut apart along the drawn line (fig. 2).
- You will now have 2 half square triangles.
- Trim to 2-1/4" x 2-1/4" (fig 3).
- Repeat to make HSTs with all of the 2-3/4" x 2-3/4" squares, always matching a Fabric A square with a Fabric B-T square.






fig. 1







Step Two: Make Bear Claw Units

- Sew four A/B HSTs and one Fabric A 2-1/4" x 2-1/4" square to a Fabric B 4" x 4" square as pictured (fig 4).
- Repeat to make one-hundred seventy-eight bear claw units, always matching the HSTs with a matching 4" x 4" square (fig. 5).
- Use the chart on page 5 to organize the HSTs and squares for ease in assembling.






fig. 5

Bear Claw Unit Assembly Chart

Fabric	# of HSTs	# of 4x4 squares	# of Fabric A squares (2-1/4")	# of bear claw units to make
В	36	9	9	9
С	32	8	8	8
D	68	17	17	17
E	32	8	8	8
F	68	17	17	17
G	32	8	8	8
H	32	8	8	8
	36	9	9	9
J	32	8	8	8
K	32	8	8	8
L	36	9	9	9
M	32	8	8	8
N	36	9	9	9
0	36	9	9	9
P	32	8	8	8
Q	36	9	9	9
R	32	8	8	8
S	36	9	9	9
Т	36	9	9	9

Step Three: Make Bear Claw Blocks

Use fig. 8 on page 6 as a guide to lay out the blocks.

- Sew a bear claw unit to each long side of a Fabric A 2-1/4" x 5-3/4" rectangle. Press seam allowance towards Fabric A (fig. 6).
- Repeat to make a second set.
- Sew a Fabric A 2-1/4" x 5-3/4" rectangle to opposite sides of a 2-1/4" x 2-1/4" square. Press seam allowance towards Fabric A (fig. 7).
- Sew the three rows together as pictured (fig. 8).






fig. 8

Assemble the Bear Claw blocks as indicated below.

The blocks for the edges of the quilt will only have three bear claw units per block.

fig. 9



Block 1: Make 4



Block 5: Make 3



Block 2: Make 4



Block 6: Make 1



Block 3: Make 4



Block 7: Make 1



Block 4: Make 4



Block 8: Make 4

12-1/4"



Block 9: Make 3



Block 12: Make 3



Block 15: Make 3



Block 18: Make 3



Block 10: Make 1



Block 13: Make 1



Block 16: Make 1



Block 19: Make 1



Block 11: Make 1



Block 14: Make 1



Block 17: Make 1



Block 20: Make 1



Block 21: Make 4

Step Four: Assemble the Quilt Top

• Sew the blocks into diagonal rows and then sew rows together to make the quilt top.

fig. 10: Quilt Assembly Diagram



Step Five: Finishing

- True up all four sides of the quilt top to create straight edges (fig. 11).
- Your quilt top is complete! Baste, quilt, bind & enjoy.



This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2020. All rights reserved.