


HIGHLIGHT

Designed by Robert Kaufman Fabrics
www.robertkaufman.com

Featuring

KONA[®] 2016 COLOR
OF THE
cotton solids YEAR



Finished quilt measures: 48-1/2" x 48-1/2"

Pattern Level: Enthusiastic Novice






"I am a total beginner and want to learn more!"

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-550 HIGHLIGHT	1-3/8 yards		D	K001-452 WASABI	1/3 yard
	B	K001-1387 WHITE	3/4 yard		E	K001-480 PICKLE <i>*includes binding</i>	3/4 yard
	C	K001-457 SHADOW	5/8 yard	Copyright 2016, Robert Kaufman For individual use only - Not for resale You will also need: 3-1/4 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

two 16-7/8" squares. Cut each square in half once along the diagonal.
 one 11-7/8" square
 four 8-1/2" squares

From Fabric B, cut:

two 11-7/8" x WOF strips. Subcut:
 four 11-7/8" squares

From Fabric C, cut:

two 8-7/8" x WOF strips. Subcut:
 eight 8-7/8" squares. Cut each square in half once along the diagonal.

From Fabric D, cut:

one 8-7/8" x WOF strip. Subcut:
 four 8-7/8" squares. Cut each square in half once along the diagonal.


From Fabric E, cut:

one 8-7/8" x WOF strip. Subcut:

two 8-7/8" squares. Cut each square in half once along the diagonal.

six 2-1/2" x WOF strips for the binding

Assemble the Corner Blocks




Step 1: Sew a Fabric C triangle to two adjacent sides of an 8-1/2" Fabric A square. Press toward the square.

Step 2: Sew a Fabric A triangle to the unit from Step 1. Press toward the Fabric A triangle. Trim the Corner Block to 16-1/2" square.

Repeat to form four Corner Blocks.


Assemble the Square in a Square Blocks (SIAS)



Step 3: Sew a Fabric E triangle to opposite sides of an 11-7/8" Fabric A square. Press seam allowances toward the triangles. Repeat on remaining sides of the Fabric A square. Trim the SIAS block to 16-1/2" square.

Step 4: Sew a Fabric C and Fabric D triangle to opposite sides of an 11-7/8" Fabric B square. Press seam allowances toward the triangles. Repeat on remaining sides of the Fabric B square. Trim the SIAS block to 16-1/2" square. Repeat to make four blocks like this.

Assemble the Quilt



Step 5: Arrange the blocks in three rows of three, as indicated in the Quilt Assembly Diagram. Note the orientation of the Corner and Step 4 blocks. Sew the blocks together to form rows, pressing the seams to the left in the top and bottom row and the seams to the right in the middle row.

Step 6: Sew the rows together, nesting the seams and pressing the row seams open.

Your quilt top is now complete! Baste, quilt, bind and enjoy!